# Plant Systematics and Evolution

Volume 210 1998

ISSN 0378-2697

Editorial Board: F. Ehrendorfer, Wien (Managing Editor)
R. Appels, K. Bremer, P. R. Crane, D. E. Giannasi,
W. Hagemann, D. L. Hawksworth, V. H. Heywood,
U. Jensen, I. Krisai-Greilhuber, B. L. Turner, A. Weber

SpringerWienNewYork

# Plant Systematics and Evolution

*Entwicklungsgeschichte*
*und Systematik*
*der Pflanzen*

## Editorial Board

F. Ehrendorfer, Wien (Managing Editor)
Irmgard Krisai-Greilhuber, Wien

R. Appels, Canberra
K. Bremer, Uppsala
P. R. Crane, Chicago, Ill.
W. Hagemann, Heidelberg
D. L. Hawksworth, London
V. H. Heywood, Reading
U. Jensen, Bayreuth
B. L. Turner, Austin, Texas
A. Weber, Wien

## Advisory Board

B. R. Baum, Ontario, Can.
K. S. Bawa, Boston, Mass.
D. Bhattacharya, Iowa City, IA
P. E. Brandham, Kew
G. Gärtner, Innsbruck
J. Greilhuber, Wien
J. Heslop-Harrison, Herefordshire
J. S. Heslop-Harrison, Norwich
M. Hesse, Wien
K. Jones, Richmond
Marie H. Kurmann, Altbüron
I. Linde-Laursen, Holte
M. Moser, Innsbruck
B. Nordenstam, Stockholm
R. Olmstead, Seattle, WA
S. D. Russel, Norman, Oklahoma
L. Ryvarden, Oslo
R. M. Schuster, Hadley, Mass.
D. Schweizer, Wien
T. F. Stuessy, Wien
S. Vogel, Maria Enzersdorf a. G.
G. Wagenitz, Göttingen
F. Weberling, Ulm
C. Westerkamp, Bonn

Vol. 210 No. 1–2 1998 pp. 1–145 Published April 6, 1998
Vol. 210 No. 3–4 1998 pp. 147–292 Published April 29, 1998

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions including microform is transferred to the publisher. For copyright regulations and for further information, see the detailed "Instructions to the Authors".

© 1998 Springer-Verlag/Wien

# Contents

Agnese, A. M., Juliani, H. R., Cabrera, J. L.: Chemotaxonomic features of lipophilic components in *Adesmia* species (*Leguminosae*) (Short communication) . . . . 141
Anderberg, A. A., s. Eldenäs, P.
Bischler, H., s. Boisselier-Dubayle, M. C.
Blackmore, S., s. Knapp, S.
Blatt, C. T. T., dos Santos, M. D., Salatino, A.: Flavonoids of *Bignoniaceae* from the "cerrado" and their possible taxonomic significance (Short communication) . . 289
Boisselier-Dubayle, M. C., Lambourdiere, J., Bischler, H.: The leafy liverwort *Porella baueri* (*Porellaceae*) is an allopolyploid . . . . . . . . . . . . . . . . . . . . . 175
Buchner, R., s. Puff, C.
Butzmann, R., s. Fischer, T. C.
Cabrera, J. L., s. Agnese, A. M.
Cepák, V., s. Komárek, J.
Crespo, M. B., Serra, L., Juan, A.: *Solenopsis* (*Lobeliaceae*): a genus endemic in the Mediterranean Region . . . . . . . . . . . . . . . . . . . . . . . . . . . 211
Cummings, M. P., Welschmeyer, N. A.: Pigment composition of putatively achlorophyllous angiosperms . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 105
dos Santos, M. D., s. Blatt, C. T. T.
Eguiarte, L. E., s. García-Franco, J. G.
Eldenäs, P., Anderberg, A. A., Källersjö, M.: Molecular phylogenetics of the tribe *Inuleae* s. str. (*Asteraceae*), based on ITS sequences of nuclear ribosomal DNA 159
Fischer, T. C., Butzmann, R.: *Citrus meletensis* (*Rutaceae*), a new species from the Pliocene of Valdarno (Italy) . . . . . . . . . . . . . . . . . . . . . . . . . . 51
Fritsch, R. M., s. Ohri, D.
García-Franco, J. G., Souza, V., Eguiarte, L. E., Rico-Gray, V.: Genetic variation, genetic structure and effective population size in the tropical holoparasitic endophyte *Bdallophyton bambusarum* (*Rafflesiaceae*) . . . . . . . . . . . . . . . 271
Guries, R. P., s. Wiegrefe, S. J.
Hanelt, P., s. Ohri, D.
Juan, A., s. Crespo, M. B.
Juliani, H. R., s. Agnese, A. M.
Källersjö, M., s. Eldenäs, P.
Kardolus, J. P., van Eck, H. J., van den Berg, R. G.: The potential of AFLPs in biosystematics: a first application in *Solanum* taxonomy (*Solanaceae*) . . . . . . . 87
Knapp, S., Persson, V., Blackmore, S.: Pollen morphology and functional dioecy in *Solanum* (*Solanaceae*) . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 113
Kokubugata, G., Kondo, K.: Comparative karyotype analysis of *Ceratozamia mexicana* and *Microcycas calocoma* (*Zamiaceae*) using fluorochrome banding (CMA/DAPI) and fluorescence in situ hybridization of ribosomal DNA . . . . . . . . . 41
Komárek, J., Cepák, V.: Cytomorphological characters supporting the taxonomic validity of *Cyanothece* (*Cyanoprokaryota*) . . . . . . . . . . . . . . . . . . . . . 25
Kondo, K., s. Kokubugata, G.
Küpfer, P., s. Yuan, Y.-M.
Lambourdiere, J., s. Boisselier-Dubayle, M. C.
Mathez, J., s. Xena de Enrech, N.

4 518HI XL
11/98 31249-200 NULE

Mendoza-Heuer, I., s. Rutishauser, R.
Ohri, D., Fritsch, R. M., Hanelt, P.: Evolution of genome size in *Allium* (*Alliaceae*) 57
Persson, V., s. Knapp, S.
Puff, C., Buchner, R.: Development and structure of the comose seeds of *Hillia* (*Rubiaceae*) . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 147
Rico-Gray, V., s. García-Franco, J. G.
Ronse Decraene, L. P., s. Rutishauser, R.
Rutishauser, R., Ronse Decraene, L. P., Smets, E., Mendoza-Heuer, I.: *Theligonum cynocrambe*: developmental morphology of a peculiar rubiaceous herb . . . . . 1
Salatino, A., s. Blatt, C. T. T.
Serra, L., s. Crespo, M. B.
Smets, E., s. Rutishauser, R.
Souza, V., s. García-Franco, J. G.
Sytsma, K. J., s. Wiegrefe, S. J.
van den Berg, R. G., s. Kardolus, J. P.
van Eck, H. J., s. Kardolus, J. P.
Welschmeyer, N. A., s. Cummings, M. P.
Wiegrefe, S. J., Sytsma, K. J., Guries, R. P.: The *Ulmaceae*, one family or two? Evidence from chloroplast DNA restriction site mapping . . . . . . . . . . . . . . 249
Xena de Enrech, N., Mathez, J.: Genetic control of fruit polymorphism in the genus *Fedia* (*Valerianaceae*) in the light of dimorphic and trimorphic populations of *F. pallescens* . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 199
Yuan, Y.-M., Küpfer, P., Zeltner, L.: Chromosomal evolution of *Gentiana* and *Jaeschkea* (*Gentianaceae*), with further documentation of chromosome data for 35 species from western China . . . . . . . . . . . . . . . . . . . . . . . . . 231
Zeltner, L., s. Yuan, Y.-M.